Immunology 2004 **113** 537–539

Author index

ABO, T. *see* ISHIMOTO, Y.
AHN, S.-C. *see* KIM, G.-Y.
AL-SHAMKHANI, A. CD137: costimulator turns suppressor?, 23
ÁLVAREZ, A.J. *see* BARROSO, S.
ANDERSSON, T.N., EKMAN, G.J., GRÖNLUND, H., BUENTKE, E., ERIKSSON, T.L.J., SCHEYNIUS, A., VAN HAGE-HAMSTEN, M. & GAFVELIN, G. A novel adjuvant–allergen complex, CBP–rFel d 1, induces up-regulation of CD86 expression and enhances cytokine release by human dendritic cells *in vitro*, 253
ANIKEEVA, N. *see* LEBEDEVA, T.
AOKI, M.P. *see* CHIAPELLO, L.S.
AOYAGI, Y. *see* ISHIMOTO, Y.
AQUINO, A. *see* POTESTIO, M.
ASIN, S. *see* YEAMAN, G.R.
ASKENASE, P.W. *see* KAWIKOVA, I.
ASSOUNGA, A.G. & WARNER, C.M. Transcription of major histocompatibility complex class I (K^b) and transporter associated with antigen processing 1 and 2 genes is up-regulated with age, 378
ATTANASIO, R. *see* ROGERS, K.A.

BAATJES, A.J. *see* SAITO, H.
BABIUK, L. *see* BABIUK, S.
BABIUK, S., MOOKHERJEE, N., PONTAROLLO, R., GRIEBEL, P., VAN DRUNEN LITTEL-VAN DEN HURK, S., HECKER, R. & BABIUK, L. $TLR9^{-/-}$ and $TLR9^{+/+}$ mice display similar immune responses to a DNA vaccine, 114
BAINBRIDGE, S. *see* TODD, I.
BAIRD, S. *see* RHEE, C.-S.
BAPAT, A.S. *see* FOELL, J.L.
BARBEY, C. *see* SPERTINI, F.
BARBIER, N. *see* SPERTINI, F.
BARONETTI, J.L. *see* CHIAPELLO, L.S.
BARROSO, S., SÁNCHEZ, B., ÁLVAREZ, A.J., LÓPEZ-TRASCASA, M., LANUZA, A., LUQUE, R., WICHMANN, I. & NÚÑEZ-ROLDÁN, A. Complement component C7 deficiency in two Spanish families, 518
BEATTIE, L. *see* WYKES, M.N.
BIGBY, T.D. *see* RHEE, C.-S.
BLACKWELL, N.M. *see* RAZZAQ, T.M.
BOAM, D. *see* LEES, J.
BONATO, V.L.D., GONÇALVES, E.D.C., SOARES, E.G., SANTOS JÚNIOR, R.R., SARTORI, A., COELHO-CASTELO, A.A.M. & SILVA, C.L. Immune regulatory effect of pHSP65 DNA therapy in pulmonary tuberculosis: activation of $CD8^+$ cells, interferon-γ recovery and reduction of lung injury, 130
BORREBAECK, C.A.K. *see* SCHIÖTT, Å.
BOTTO, M. *see* TRENDELENBURG, M.
BOWMAN, A.S. *see* HANNIER, S.
BRAND, D.D. *see* TANG, B.
BRIAN THOMAS, D. *see* GRAHAM, C.M.
BRUNK, U.T. *see* TEDLA, N.
BUENTKE, E. *see* ANDERSSON, T.N.
BURROUGHS, T.J. *see* ZINGARELLI, B.
BUTTERFIELD, L.H. *see* MEHROTRA, S.

CAMPOS, R.A. *see* KAWIKOVA, I.
CARDOSO, R.S. *see* PEREIRA, E.
CARUSO, R. *see* POTESTIO, M.
CHAKRABORTY, A. *see* MEHROTRA, S.
CHAKRABORTY, N.G. *see* MEHROTRA, S.
CHATILA, T. *see* SPERTINI, F.
CHATTOPADHYAY, S. *see* MEHROTRA, S.
CHEN, C.-L. *see* PAN, T.-L.
CHHABRA, A. *see* MEHROTRA, S.
CHIAPELLO, L.S., BARONETTI, J.L., AOKI, M.P., GEA, S., RUBINSTEIN, H. & MASIH, D.T. Immunosuppression, interleukin-10 synthesis and apoptosis are induced in rats inoculated with *Cryptococcus neoformans* glucuronoxylomannan, 392
CHISHOLM, D. *see* RHEE, C.-S.
CILLARI, E. *see* POTESTIO, M.
CLAESSON, M.H. *see* GAD, M.
COELHO-CASTELO, A.A.M. *see* BONATO, V.L.D.
COLLINS, J.E. *see* YEAMAN, G.R.
COLVIN, B.L., LAU, A.H., SCHELL, A.M. & THOMSON, A.W. Disparate ability of murine $CD8\alpha^-$ and $CD8\alpha^+$ dendritic cell subsets to traverse endothelium is not determined by differential CD11b expression, 328
CONE, R.E. *see* LI, X.
CORTHESY, B. *see* SPERTINI, F.
CRAWFORD, L. *see* SAITO, H.
CUNNINGHAM, A.F., SERRE, K., MOHR, E., KHAN, M. & TOELLNER, K.-M. Loss of CD154 impairs the Th2 extrafollicular plasma cell response but not early T cell proliferation and interleukin-4 induction, 187
CYR, M.M. *see* SAITO, H.

D'AGOSTINO, P. *see* POTESTIO, M.
DANNECKER, G.E. *see* FOELL, J.L.
DAVIS, H.L. *see* VOLLMER, J.
DEMIAN, D.J. *see* YEAMAN, G.R.
DENBURG, E. *see* SAITO, H.
DENBURG, J.A. *see* SAITO, H.
DENENBERG, A. *see* ZINGARELLI, B.
DEVITT, A. *see* GREGORY, C.D.
DI BELLA, G. *see* POTESTIO, M.
DICKINSON, P. *see* TODD, I.
DIEZ, O.H. *see* FOELL, J.L.
DIEZ-MENDIONDO, B.I. *see* FOELL, J.L.
DILEEPAN, K.N. *see* TALREJA, J.
DONADI, E.A. *see* PEREIRA, E.
DORSKY, D.I. *see* MEHROTRA, S.
DRAPER-MORGAN, K.-A. *see* TODD, I.

EBE, K. *see* ISHIMOTO, Y.
ECONOMOU, J.S. *see* MEHROTRA, S.
EKMAN, G.J. *see* ANDERSSON, T.N.
ERIKSSON, T.L.J. *see* ANDERSSON, T.N.

FANGER, M.W. *see* YEAMAN, G.R.
FERLAZZO, V. *see* POTESTIO, M.
FERNANDEZ-CALOTTI, P. *see* SALAMONE, G.
FERRO, P.J. *see* SWAGGERTY, C.L.
FILLA, M.B. *see* TALREJA, J.
FOELL, J.L., DIEZ-MENDIONDO, B.I., DIEZ, O.H., HOLZER, U., RUCK, P., BAPAT, A.S., HOFFMANN, M.K., MITTLER, R.S. & DANNECKER, G.E. Engagement of the CD137 (4-1BB) costimulatory molecule inhibits and reverses the autoimmune process in collagen-induced arthritis and establishes lasting disease resistance, 89
FOSSATI-JIMACK, L. *see* TRENDELENBURG, M.
FOXWELL, B.M.J. *see* WILLIAMS, L.M.
FUKASAWA, M. *see* HABU, Y.
FUKUI, M. *see* KAWIKOVA, I.

GAD, M., KRISTENSEN, N.N., KURY, E. & CLAESSON, M.H. Characterization of T-regulatory cells, induced by immature dendritic cells, which inhibit enteroantigen-reactive colitis-inducing T-cell responses *in vitro* and *in vivo*, 499
GAFVELIN, G. *see* ANDERSSON, T.N.
GAIDAROV, I. *see* LEBEDEVA, T.
GAMBERALE, R. *see* SALAMONE, G.
GAMBINO, G. *see* POTESTIO, M.
GARNER, B. *see* TEDLA, N.
GARSIDE, P. *see* MILLINGTON, O.R.
GEA, S. *see* CHIAPELLO, L.S.
GEBA, G.P. *see* KAWIKOVA, I.
GEFFNER, J. *see* SALAMONE, G.
GIORDANO, M. *see* SALAMONE, G.
GLAROS, E.N. *see* TEDLA, N.
GONÇALVES, E.D.C. *see* BONATO, V.L.D.
GONZALEZ, J.L. *see* YEAMAN, G.R.
GOODRIDGE, H.S., MARSHALL, F.A., WILSON, E.H., HOUSTON, K.M., LIEW, F.Y., HARNETT, M.M. & HARNETT, W. *In vivo* exposure of murine dendritic cell and macrophage bone marrow progenitors to the phosphorylcholine-containing filarial nematode glycoprotein ES-62 polarizes their differentiation to an anti-inflammatory phenotype, 491
GOTO, S. *see* PAN, T.-L.
GRAHAM, C.M. & BRIAN THOMAS, D. Differential analysis of $CD4^+$ Th memory clones with identical T-cell receptor (TCR)-$\alpha\beta$ rearrangement (non-transgenic), but distinct lymphokine phenotype, reveals diverse and novel gene expression, 194
GREGORY, C.D. & DEVITT, A. The macrophage and the apoptotic cell: an innate immune interaction viewed simplistically?, 1
GRIEBEL, P. *see* BABIUK, S.
GRÖNLUND, H. *see* ANDERSSON, T.N.

HABU, Y., UCHIDA, T., INUI, T., NAKASHIMA, H., FUKASAWA, M. & SEKI, S. Enhancement of the synthetic ligand-mediated function of liver $NK1.1Ag^+$ T cells in mice by interleukin-12 pretreatment, 35
HAKE, P.W. *see* ZINGARELLI, B.

© 2004 Blackwell Publishing Ltd

HAN, P., MCDONALD, T. & HODGE, G. Potential immaturity of the T-cell and antigen-presenting cell interaction in cord blood with particular emphasis on the CD40-CD40 ligand costimulatory pathway, 26
HANNIER, S., LIVERSIDGE, J., STERNBERG, J.M. & BOWMAN, A.S. Characterization of the B-cell inhibitory protein factor in *Ixodes ricinus* tick saliva: a potential role in enhanced *Borrelia burgdoferi* transmission, 401
HARNETT, M.M. *see* GOODRIDGE, H.S.
HARNETT, W. *see* GOODRIDGE, H.S.
HART, D.N. *see* WYKES, M.N.
HECKER, R. *see* BABIUK, S.
HODGE, G. *see* HAN, P.
HOFFMANN, M.K. *see* FOELL, J.L.
HOLZER, U. *see* FOELL, J.L.
HOMER, R.J. *see* KAWIKOVA, I.
HORNER, A.A. *see* RHEE, C.-S.
HOURIHANE, J. *see* STRID, J.
HOUSTON, K.M. *see* GOODRIDGE, H.S.
HOWELL, A.L. *see* YEAMAN, G.R.
HOWIE, K. *see* SAITO, H.
HUANG, C.-C. *see* PAN, T.-L.
HUGGINS, M.L. *see* TODD, I.

ILIOPOULOU, B.P. *see* KAWIKOVA, I.
INUI, T. *see* HABU, Y.
ISHIMOTO, Y., TOMIYAMA-MIYAJI, C., WATANABE, H., YOKOYAMA, H., EBE, K., TSUBATA, S., AOYAGI, Y. & ABO, T. Age-dependent variation in the proportion and number of intestinal lymphocyte subsets, especially natural killer T cells, double-positive $CD4^+$ $CD8^+$ cells and $B220^+$ T cells, in mice, 371
ITAKURA, A. *see* KAWIKOVA, I.

JAMHAWI, L. *see* TODD, I.
JESSUP, W. *see* TEDLA, N.
JOHANSSON-LINDBOM, B. *see* SCHIÖTT, Å.
JURK, M. *see* VOLLMER, J.
JURY, E.C. *see* RAZZAQ, T.M.

KABIR, M.H. *see* TALREJA, J.
KABOURIDIS, P.S. *see* RAZZAQ, T.M.
KAISER, P. *see* SWAGGERTY, C.L.
KALAMS, S.A. *see* LEBEDEVA, T.
KANG, A.H. *see* TANG, B.
KAWIKOVA, I., PALIWAL, V., SZCZEPANIK, M., ITAKURA, A., FUKUI, M., CAMPOS, R.A., GEBA, G.P., HOMER, R.J., ILIOPOULOU, B.P., POBER, J.S., TSUJI, R.F. & ASKENASE, P.W. Airway hyper-reactivity mediated by B-1 cell immunoglobulin M antibody generating complement C5a at 1 day post-immunization in a murine hapten model of non-atopic asthma, 234
KEEN, J.H. *see* LEBEDEVA, T.
KELLY, D.F., RICHARD MOXON, E. & POLLARD, A.J. *Haemophilus influenzae* type b conjugate vaccines, 163
KERR, M.A. *see* WOOF, J.M.
KHAN, M. *see* CUNNINGHAM, A.F.
KIDA, Y. *see* SHIMIZU, T.
KIM, G.-Y., KIM, J.-H., AHN, S.-C., LEE, H.-J., MOON, D.-O., LEE, C.-M. & PARK, Y.-M. Lycopene suppresses the lipopolysaccharide-induced phenotypic and functional maturation of murine dendritic cells through inhibition of mitogen-activated protein kinases and nuclear factor-κB, 203
KIM, J.-H. *see* KIM, G.-Y.
KIMBER, I. *see* STRID, J.
KIRETA, S. *see* NEWLAND, A.
KOGUT, M.H. *see* SWAGGERTY, C.L.
KOLIOS, G., VALATAS, V. & WARD, S.G. Nitric oxide in inflammatory bowel disease: a universal messenger in an unsolved puzzle, 427
KÖNIG, R. *see* ZHOU, W.
KRIEG, A.M. *see* VOLLMER, J.
KRISHNAN, R. *see* NEWLAND, A.
KRISTENSEN, N.N. *see* GAD, M.
KURY, E. *see* GAD, M.
KUWANO, K. *see* SHIMIZU, T.

LANUZA, A. *see* BARROSO, S.
LAU, A.H. *see* COLVIN, B.L.
LEBEDEVA, T., ANIKEEVA, N., KALAMS, S.A., WALKER, B.D., GAIDAROV, I., KEEN, J.H. & SYKULEV, Y. Major histocompatibility complex class I–intercellular adhesion molecule-1 association on the surface of target cells: implications for antigen presentation to cytotoxic T lymphocytes, 460
LEE, C.H. *see* RHEE, C.-S.
LEE, C.-M. *see* KIM, G.-Y.
LEE, H.-J. *see* KIM, G.-Y.
LEES, J., BOAM, D., PROUNGVITAYA, T. & WOOD, P.J. Site-specific regulation of tissue dendritic cell function by granulocyte–macrophage colony-stimulating-factor, 482
LI, X., WANG, Y., URSO, D., O'ROURKE, J. & CONE, R.E. Thymocytes induced by antigen injection into the anterior chamber activate splenic $CD8^+$ suppressor cells and enhance the antigen-induced production of immunoglobulin G1 antibodies, 44
LIBET, L. *see* RHEE, C.-S.
LIEW, F.Y. *see* GOODRIDGE, H.S.
LINDSTEDT, M. *see* SCHIÖTT, Å.
LIVERSIDGE, J. *see* HANNIER, S.
LOPES, J.D. *see* POPI, A.F.
LÓPEZ-TRASCASA, M. *see* BARROSO, S.
LUQUE, R. *see* BARROSO, S.

MA, Z. *see* TANG, B.
MACPHERSON, G.G. *see* WYKES, M.N.
MAN, A.L., PRIETO-GARCIA, M.E. & NICOLETTI, C. Improving M cell mediated transport across mucosal barriers: do certain bacteria hold the keys?, 15
MANDERSON, A.P. *see* TRENDELENBURG, M.
MANSUETO, S. *see* POTESTIO, M.
MARIANO, M. *see* POPI, A.F.
MARSHALL, F.A. *see* GOODRIDGE, H.S.
MARTÍNEZ, D. *see* SALAMONE, G.
MASIH, D.T. *see* CHIAPELLO, L.S.
MATHIAS, C. *see* MEHROTRA, S.
MCCLUSKIE, M.J. *see* VOLLMER, J.
MCDONALD, T. *see* HAN, P.
MCINTOSH, R. *see* TODD, I.
MEHROTRA, S., CHHABRA, A., CHAKRABORTY, A., CHATTOPADHYAY, S., SLOWIK, M., STEVENS, R., ZENGOU, R., MATHIAS, C., BUTTERFIELD, L.H., DORSKY, D.I., ECONOMOU, J.S., MUKHERJI, B. & CHAKRABORTY, N.G. Antigen presentation by MART-1 adenovirus-transduced interleukin-10-polarized human monocyte-derived dendritic cells, 472
MELLO, S.S. *see* PEREIRA, E.
MILANO, S. *see* POTESTIO, M.
MILLINGTON, O.R., WEI, X.-Q., GARSIDE, P. & MOWAT, A. MC I. Interleukin-15 is not required for the induction or maintenance of orally induced peripheral tolerance, 304
MITTLER, R.S. *see* FOELL, J.L.
MOHR, E. *see* CUNNINGHAM, A.F.
MOOKHERJEE, N. *see* BABIUK, S.
MOON, D.-O. *see* KIM, G.-Y.
MORIKAWA, H. *see* SAITO, H.
MOWAT, A. MC I. *see* MILLINGTON, O.R.
MUKHERJI, B. *see* MEHROTRA, S.
MYERS, L.K. *see* TANG, B.

NAKASHIMA, H. *see* HABU, Y.
NEWLAND, A., KIRETA, S., RUSS, G. & KRISHNAN, R. Ovine dendritic cells transduced with an adenoviral $CTLA4_e$EGFP fusion protein construct induce hyporesponsiveness to allostimulation, 310
NICOLETTI, C. *see* MAN, A.L.
NÚÑEZ-ROLDÁN, A. *see* BARROSO, S.

O'CONNOR, M. *see* ZINGARELLI, B.
O'ROURKE, J. *see* LI, X.
OLIVEIRA, D.B.G. *see* VINEN, C.S.
O'NEILL, L.A.J. *see* PÅLSSON-MCDERMOTT, E.M.
OZEGBE, P. *see* RAZZAQ, T.M.

PALIWAL, V. *see* KAWIKOVA, I.
PÅLSSON-MCDERMOTT, E.M. & O'NEILL, L.A.J. Signal transduction by the lipopolysaccharide receptor, Toll-like receptor-4, 153
PAN, T.-L., WANG, P.-W., HUANG, C.-C., GOTO, S. & CHEN, C.-L. Expression, by functional proteomics, of spontaneous tolerance in rat orthotopic liver transplantation, 57
PARK, Y.-M. *see* KIM, G.-Y.
PASSOS, G.A.S. *see* PEREIRA, E.
PAYETTE, P. *see* VOLLMER, J.
PEREIRA, E., TAMIA-FERREIRA, M.C., CARDOSO, R.S., MELLO, S.S., SAKAMOTO-HOJO, E.T., PASSOS, G.A.S. & DONADI, E.A. Immunosuppressive therapy modulates T lymphocyte gene expression in patients with systemic lupus erythematosus, 99
PERRET-MENOUD, V. *see* SPERTINI, F.
PEVZNER, I.Y. *see* SWAGGERTY, C.L.
PIRAINO, G. *see* ZINGARELLI, B.
POBER, J.S. *see* KAWIKOVA, I.
POLLARD, A.J. *see* KELLY, D.F.
PONTAROLLO, R. *see* BABIUK, S.
POPI, A.F., LOPES, J.D. & MARIANO, M. Interleukin-10 secreted by B-1 cells modulates the phagocytic activity of murine macrophages *in vitro*, 348
POTESTIO, M., D'AGOSTINO, P., ROMANO, G.C., MILANO, S., FERLAZZO, V., AQUINO, A., DI BELLA, G., CARUSO, R., GAMBINO, G., VITALE, G., MANSUETO, S. & CILLARI, E. $CD4^+$ $CCR5^+$ and $CD4^+$ $CCR3^+$ lymphocyte subset and monocyte apoptosis in patients with acute visceral leishmaniasis, 260

POWELL, R.J. *see* TODD, I.
PRIETO-GARCIA, M.E. *see* MAN, A.L.
PROUDFOOT, L. Parasitic helminths tip the balance: potential anti-inflammatory therapies, 438
PROUNGVITAYA, T. *see* LEES, J.

RADFORD, P.M. *see* TODD, I.
RAIDEN, S. *see* SALAMONE, G.
RAZ, E. *see* RHEE, C.-S.
RAZZAQ, T.M., OZEGBE, P., JURY, E.C., SEMBI, P., BLACKWELL, N.M. & KABOURIDIS, P.S. Regulation of T-cell receptor signalling by membrane microdomains, 413
RHEE, C.-S., LIBET, L., CHISHOLM, D., TAKABAYASHI, K., BAIRD, S., BIGBY, T.D., LEE, C.H., HORNER, A.A. & RAZ, E. Allergen-independent immunostimulatory sequence oligodeoxynucleotide therapy attenuates experimental allergic rhinitis, 106
RICCHETTI, G. *see* WILLIAMS, L.M.
RICHARD MOXON, E. *see* KELLY, D.F.
ROGERS, K.A., SCINICARIELLO, F. & ATTANASIO, R. Identification and characterization of macaque CD89 (immunoglobulin A Fc receptor), 178
ROGGEN, E. *see* SCHIÖTT, Å.
ROMANO, G.C. *see* POTESTIO, M.
ROTHWELL, L. *see* SWAGGERTY, C.L.
RUBINSTEIN, H. *see* CHIAPELLO, L.S.
RUCK, P. *see* FOELL, J.L.
RUSS, G. *see* NEWLAND, A.

SAITO, H., MORIKAWA, H., HOWIE, K., CRAWFORD, L., BAATJES, A.J., DENBURG, E., CYR, M.M. & DENBURG, J.A. Effects of a cysteinyl leukotriene receptor antagonist on eosinophil recruitment in experimental allergic rhinitis, 246
SAKAMOTO-HOJO, E.T. *see* PEREIRA, E.
SALAMONE, G., TREVANI, A., MARTÍNEZ, D., VERMEULEN, M., GAMBERALE, R., FERNANDEZ-CALOTTI, P., RAIDEN, S., GIORDANO, M. & GEFFNER, J. Analysis of the mechanisms involved in the stimulation of neutrophil apoptosis by tumour necrosis factor-α, 355
SAMULOWITZ, U. *see* VOLLMER, J.
SANCHEZ, B. *see* BARROSO, S.
SANSARIDIS, M. *see* TODD, I.
SANTOS JÚNIOR, R.R. *see* BONATO, V.L.D.
SARMA, U. *see* WILLIAMS, L.M.
SARTORI, A. *see* BONATO, V.L.D.
SCHELL, A.M. *see* COLVIN, B.L.
SCHETTER, C. *see* VOLLMER, J.
SCHEYNIUS, A. *see* ANDERSSON, T.N.
SCHIÖTT, Å., LINDSTEDT, M., JOHANSSON-LINDBOM, B., ROGGEN, E. & BORREBAECK, C.A.K. $CD27^{-}$ $CD4^{+}$ memory T cells define a differentiated memory population at both the functional and transcriptional levels, 363
SCINICARIELLO, F. *see* ROGERS, K.A.
SEKI, S. *see* HABU, Y.
SEMBI, P. *see* RAZZAQ, T.M.
SERRE, K. *see* CUNNINGHAM, A.F.
SHIMIZU, T., KIDA, Y. & KUWANO, K. Lipid-associated membrane proteins of *Mycoplasma fermentans* and *M. penetrans* activate human immunodeficiency virus long-terminal repeats through Toll-like receptors, 121
SILVA, C.L. *see* BONATO, V.L.D.
SLOWIK, M. *see* MEHROTRA, S.
SMALLIE, T. *see* WILLIAMS, L.M.
SOARES, E.G. *see* BONATO, V.L.D.
SPERTINI, F., PERRET-MENOUD, V., BARBIER, N., CHATILA, T., BARBEY, C. & CORTHESY, B. Epitope-specific crosslinking of CD45 down-regulates membrane-associated tyrosine phosphatase activity and triggers early signalling events in human activated T cells, 441
STECHSCHULTE, D.J. *see* TALREJA, J.
STERNBERG, J.M. *see* HANNIER, S.
STEVENS, R. *see* MEHROTRA, S.
STRID, J., THOMSON, M., HOURIHANE, J., KIMBER, I. & STROBEL, S. A novel model of sensitization and oral tolerance to peanut protein, 293
STROBEL, S. *see* STRID, J.
STUART, J.M. *see* TANG, B.
SWAGGERTY, C.L., KOGUT, M.H., FERRO, P.J., ROTHWELL, L., PEVZNER, I.Y. & KAISER, P. Differential cytokine mRNA expression in heterophils isolated from *Salmonella*-resistant and -susceptible chickens, 139
SYKULEV, Y. *see* LEBEDEVA, T.
SZCZEPANIK, M. *see* KAWIKOVA, I.

TAKABAYASHI, K. *see* RHEE, C.-S.
TALREJA, J., KABIR, M.H., FILLA, M.B., STECHSCHULTE, D.J. & DILEEPAN, K.N. Histamine induces Toll-like receptor 2 and 4 expression in endothelial cells and enhances sensitivity to Gram-positive and Gram-negative bacterial cell wall components, 224
TAMIA-FERREIRA, M.C. *see* PEREIRA, E.
TANG, B., BRAND, D.D., MA, Z., STUART, J.M., MYERS, L.K. & KANG, A.H. Pathogenesis of collagen-induced arthritis: modulation of disease by arthritogenic T-cell epitope location, 384
TEDLA, N., GLAROS, E.N., BRUNK, U.T., JESSUP, W. & GARNER, B. Heterogeneous expression of apolipoprotein-E by human macrophages, 338
THOMSON, A.W. *see* COLVIN, B.L.
THOMSON, M. *see* STRID, J.
TIGHE, P.J. *see* TODD, I.
TODD, I., RADFORD, P.M., DRAPER-MORGAN, K.-A., MCINTOSH, R., BAINBRIDGE, S., DICKINSON, P., JAMHAWI, L., SANSARIDIS, M., HUGGINS, M.L., TIGHE, P.J. & POWELL, R.J. Mutant forms of tumour necrosis factor receptor I that occur in TNF receptor-associated periodic syndrome retain signalling functions but show abnormal behaviour, 65
TOELLNER, K.-M. *see* CUNNINGHAM, A.F.
TOMIYAMA-MIYAJI, C. *see* ISHIMOTO, Y.
TRENDELENBURG, M., MANDERSON, A.P., FOSSATI-JIMACK, L., WALPORT, M.J. & BOTTO, M. Monocytosis and accelerated activation of lymphocytes in C1q-deficient autoimmune-prone mice, 80
TREVANI, A. *see* SALAMONE, G.
TSUBATA, S. *see* ISHIMOTO, Y.
TSUJI, R.F. *see* KAWIKOVA, I.
TURNER, D.R. *see* VINEN, C.S.

UCHIDA, T. *see* HABU, Y.
URSO, D. *see* LI, X.

VALATAS, V. *see* KOLIOS, G.
VAN DRUNEN LITTEL-VAN DEN HURK, S. *see* BABIUK, S.
VAN HAGE-HAMSTEN, M. *see* ANDERSSON, T.N.
VERGARA, L. *see* ZHOU, W.
VERMEULEN, M. *see* SALAMONE, G.
VINEN, C.S., TURNER, D.R. & OLIVEIRA, D.B.G. Resistance to re-challenge in the Brown Norway rat model of vasculitis is not always complete and may reveal separate effector and regulatory populations, 269
VITALE, G. *see* POTESTIO, M.
VOLLMER, J., WEERATNA, R.D., JURK, M., SAMULOWITZ, U., MCCLUSKIE, M.J., PAYETTE, P., DAVIS, H.L., SCHETTER, C. & KRIEG, A.M. Oligodeoxynucleotides lacking CpG dinucleotides mediate Toll-like receptor 9 dependent T helper type 2 biased immune stimulation, 212

WALKER, B.D. *see* LEBEDEVA, T.
WALPORT, M.J. *see* TRENDELENBURG, M.
WANG, P.-W. *see* PAN, T.-L.
WANG, Y. *see* LI, X.
WARD, S.G. *see* KOLIOS, G.
WARNER, C.M. *see* ASSOUNGA, A.G.
WATANABE, H. *see* ISHIMOTO, Y.
WEERATNA, R.D. *see* VOLLMER, J.
WEI, X.-Q. *see* MILLINGTON, O.R.
WELDON, S. *see* YEAMAN, G.R.
WICHMANN, I. *see* BARROSO, S.
WILLIAMS, L.M., RICCHETTI, G., SARMA, U., SMALLIE, T. & FOXWELL, B.M.J. Interleukin-10 suppression of myeloid cell activation — a continuing puzzle, 281
WILSON, E.H. *see* GOODRIDGE, H.S.
WIRA, C.R. *see* YEAMAN, G.R.
WOOD, P.J. *see* LEES, J.
WOOF, J.M. & KERR, M.A. IgA function – variations on a theme, 175
WYKES, M.N., BEATTIE, L., MACPHERSON, G.G. & HART, D.N. Dendritic cells and follicular dendritic cells express a novel ligand for CD38 which influences their maturation and antibody responses, 318

YEAMAN, G.R., ASIN, S., WELDON, S., DEMIAN, D.J., COLLINS, J.E., GONZALEZ, J.L., WIRA, C.R., FANGER, M.W. & HOWELL, A.L. Chemokine receptor expression in the human ectocervix: implications for infection by the human immunodeficiency virus-type I, 524
YOKOYAMA, H. *see* ISHIMOTO, Y.

ZENGOU, R. *see* MEHROTRA, S.
ZHOU, W., VERGARA, L. & KÖNIG, R. T cell receptor induced intracellular redistribution of type I protein kinase A, 453
ZINGARELLI, B., HAKE, P.W., BURROUGHS, T.J., PIRAINO, G., O'CONNOR, M. & DENENBERG, A. Activator protein-1 signalling pathway and apoptosis are modulated by poly(ADP-ribose) polymerase-1 in experimental colitis, 509

Immunology 2004 **113** 540–541

Subject index

α-galactosylceramide, 35
adapter, 413
adenovirus, 310
adhesion molecules, 328
adjuvant, 253
age, 378
ageing, 371
allergen-specific immunotherapy, 253
allergic rhinitis, 106, 246
allergy, 293
allograft tolerance, 57
anterior chamber, 44
antibody response, 318
antigen
  delivery, 15
  presentation, 460
apolipoprotein-E, 338
apoptosis, 1, 260, 338, 392
arthritis, 384
asthma, 234
autoantibodies, 384
autoimmunity, 80, 269
autoinflammatory syndrome, 65

B
  cells, 26, 212
  lymphocyte, 234, 401
B-1 lymphocyte, 348
Bax, 509
Bcl-2, 509
Borrelia, 401
Brown Norway rat model, 269

C7 deficiency: meningococcal infections: C7 gene mutations, 518
caspases, 355
CD38, 318
CD45, 441
CD14, 153
CD154, 187
CD89, 178
CD137, 23, 89
$CD4^+$ $CCR3^+$, 260
$CD4^+$ $CCR5^+$, 260
cell
  activation, 441
  interactions, 1
  survival, 304
cellular
  activation, 363
  localization, 453
chemokine receptor expression, 524
chemokines, 328
chemotaxis, 328
chickens, 139
c-Jun, 509
c-Jun-NH_2-terminal kinase, 509
colitis, 499, 509
collagen type II, 384
collagen-induced arthritis, 89
complement, 80
  C5a, 234
confocal microscopy, 453
conjugate, 163
costimulator, 23, 89
CpG, 114
  DNA, 212
  motif, 106
Cryptococcus neoformans, 392
CTL, 472
CTLA4, 310
cysteinyl leukotriene receptor antagonist, 246
cytokines, 139, 194
cytokines/interleukins, 281

deficiency, 80
dendritic
  cell, 203, 472, 491
  cells, 212, 318, 482, 499
DNA vaccine, 114
down-regulation, 348
DP cells, 371

endothelial cells, 224, 328
enterobacteria, 499
eosinophils, 246
extrathymic, 371

Fel d 1, 253
filarial nematode, 491
follicular, 318

gene expression, 114
glucuronoxylomannan, 392
granulocyte–macrophage colony-stimulating factor, 482
green fluorescent protein, 310
gut, 427

Haemophilus influenzae, 163
haemopoiesis, 246
haptoglobin, 57
hepatotoxicity, 35
heterophils, 139
histamine, 224
HIV-1, 524
HIV, 121
human, 363, 472

ICAM-1, 460
IgA receptor, 178
IgM antibodies, 234
IL-1, 355
IL-10, 348, 392, 472
IL-15, 304
IL-4, 187
immune deviation, 44
immunological memory, 163
immunomodulation, 106
immunoregulation, 338
immunostimulatory sequence DNA, 106
immunosuppression, 392, 401
immunotherapy, 23, 106
inflammation, 491
inflammation: inflammatory mediators including eicosanoids, 1
inflammation/inflammatory mediators including eicosanoids, 281
inflammatory bowel diseases, 427
interferon-γ, 35, 130
interleukin-12, 35
interleukin-6, 224
islets of Langerhans, 482

Lck, 413
leishmaniasis, 260
ligand, 318
lipid rafts, 413
lipoprotein, 121
LPS, 153
lupus: systemic lupus erythematosus, 99
lycopene, 203
lymphocytes, 80

M cells, 15
Mac-1, 355
macaques, 178
macrophage, 338, 348, 491
macrophages, 1
macrophages/monocytes, 26
Mal, 153
membrane rafts, 460
mercury chloride, 269
MHC, 378
  class I, 460
mice, 80
microassay: genomics, proteomics, 99
microdomains, 413
microparticles, 253
mitogen-activated protein kinases, 203
mixed lymphocyte reaction, 57
MLR, 310
monocyte-derived dendritic cells, 253
monocytes, 1, 260
mouse: Tap genes, 378
mucosal immunity, 15, 371
mucosal-associated lymphoid tissue (MALT), 15

© 2004 Blackwell Publishing Ltd

murine, 194
  models, 35
mutagenesis, 384
mutation, 65
Mycobacterium tuberculosis, 130
mycoplasma, 121
MyD88, 153

neonatal, 26
NF-κB, 203
nitric oxide, 427
  synthase, 427
NK1.1, 35
NKT cells, 35
non-atopic, 234
non-human primate models, 178

oral tolerance, 293, 304
orthotopic liver transplantation, 57

peanut, 293
periodic fever syndrome, 65
phagocytosis, 1, 348
pHSP65 DNA therapy, 130
plasma cells, 187
polysaccharide, 163
protection, 130
protein kinase/phosphatase, 441
proteomics, 57

regulatory T
  cell, 304
  cells, 44

saliva, 401
salmonella, 139
sensitization, 293
sheep, 310
signal transduction, 413, 441, 453
signalling/signal transduction, 26, 281
splice variants, 178
suppressor, 23
survival, 355

T
  $CD8^+$ lymphocytes, 130
  cell, 441
  cell priming, 187
  cells, 99, 371
  lymphocytes, 194, 363, 453
target cells, 460
T-cell
  epitope, 384
  receptor, 413
  stimulation, 482
Th2, 187
  cells, 269
therapeutic antibodies, 89
Th1/Th2 cells, 363
thymocytes, 44
tick, 401
TLR4, 153
TLR9, 114
Toll-like, 121
  receptor 2, 224
  receptor 4, 224
  receptors, 212
transcription, 378
transcriptional profiling, 194
transplantation, 26
Treg cells, 499
tumour necrosis
  factor receptor-associated periodic syndrome, 65
  factor: tumour necrosis factor receptor, 65

vaccine, 163